



March 5, 2014

Please acknowledge receipt of Addendum No. 1 enclosed, dated March 5, 2014, to the Project Plans and Specifications for the **FY 2013-14 WATER MAIN REPLACEMENTS – VARIOUS LOCATIONS** within the Cities of Beverly Hills and West Hollywood, by signing and faxing a copy of this page upon receipt of this notification to our office at (310) 278-1838.

Please include the original copy with your proposal form for bid submittal on Wednesday, March 12, 2014.

Sincerely,

*T D Malabanan*

Tristan D. Malabanan, P.E.  
Civil Engineer

Receipt Acknowledged:

CONTRACTOR: \_\_\_\_\_

BY: \_\_\_\_\_

DATE: \_\_\_\_\_

**ADDENDUM NO. 1**

**March 5, 2014**

**For the Construction of**

**FY 2013-14 WATER MAIN REPLACEMENTS – VARIOUS LOCATIONS**

**Within the Cities of**

**BEVERLY HILLS and WEST HOLLYWOOD, CALIFORNIA**

**ooooo**

**ITEM 1** - In the Proposal Form, remove page P-2, and replace it with the enclosed page P-2.

**ITEM 2** - On Sheet 24 of the plans, please attached the enclosed detail TC-1 and add the following note:

“NOTE: PAVEMENT RESTORATION SHALL BE PER CITY OF WEST HOLLYWOOD  
DETAIL TC-1”

drawn in accordance with the provisions in the Specifications, Notice to Bidders, and all the applicable clauses of the "Standard Contractual Requirements for Public Improvements in the City of Beverly Hills, California", as adopted by the Department of Public Works on November 1, 1976.

If awarded the contract, the undersigned agrees to furnish the necessary bonds and insurance as set forth in the above-mentioned Standard Contractual Requirements, within ten (10) days after the award of the contract.


Attached hereto is cash, or cashier's check, or a certified check in favor of the City of Beverly Hills, in an amount equal to at least ten percent (10%) of the total bid, or a bid bond for said amount on a form furnished by the City, with the understanding that said security shall be held by the City Clerk until the contract for doing the work has been entered into and that said security shall be forfeited to the City as liquidated damages should the undersigned fail to enter into a contract and furnish the above-mentioned bonds and insurance within the ten (10) days specified, if awarded the contract, as the undersigned agrees that in the event of such failure, the actual amount of the damage to the City would be impractical, and extremely difficult to determine. In the event cash, or cashier's check, or a certified check is furnished for the bid bond, then a letter is required from a bonding company stating that said company will furnish the necessary bonds, as specified in Paragraph 2-11 of the Standard Contractual Requirements if the undersigned is awarded the contract. The undersigned is aware of the fact that such a letter must be from a bonding company acceptable to the City of Beverly Hills, and that all bids accompanied by cash, or cashier's check, or a certified check in lieu of the bid bond must be accompanied by such a letter in order to be considered.

The undersigned certifies to have a minimum of three consecutive years of current firm or project team experience in the type of work related to this project, completed the installation of at least 10,000 linear feet of water distribution main 8-inch diameter or larger within the past three years; and that this experience is in actual operation of a firm with permanent employees performing a part of the work as distinct from a firm operating entirely by subcontracting all phases of the work. At a minimum, a project team shall consist of a foreman, superintendent, and project manager who will actually perform the work on this project. A statement of qualifications shall be provided upon request to the City Engineer.

The undersigned also certifies to be properly licensed by the State of California as a contractor to perform work of this specialty. The undersigned agrees to furnish the City satisfactory proof of ability to perform the work, as well as records of performance of similar jobs completed recently, if and when requested to do so by the City Engineer.

The undersigned agrees that for change orders involving extra cost, the bidder shall allow the contingency allowance indicated by the City in the following bidding schedule. Expenditures from the contingency allowances shall be made only upon written order of the City. The portion of the allowance remaining unexpended at the completion of the work shall be deducted from the final payment due the Contractor.

The undersigned agrees that the insurance and bonding requirements set forth in



**NOTES:**

1. IN LARGE EXCAVATIONS, NATIVE MATERIAL MAY BE ALLOWED FOR BACKFILL IN LIEU OF SAND CEMENT SLURRY. USE MUST BE APPROVED BY CITY ENGINEER'S OFFICE BEFORE USING NATIVE MATERIAL. IF APPROVED BACKFILL SHALL CONFORM TO THE LATEST EDITION SSPWC "GREENBOOK" 306-1.3.
2. PROVIDE A MINIMUM CLEARANCE OF 6" BETWEEN THE CONDUIT AND THE EDGE OF EXCAVATION.
3. IF PAVEMENT CRACKS ARE EVIDENT NEAR TRENCH, CONTRACTOR IS REQUIRED TO OVER CUT THESE CRACKS IN FULL PAVEMENT THICKNESS AND RESTORE TO MATCH EXISTING AT CONTRACTOR'S EXPENSE.
4. IF THE EDGE OF EXCAVATION IS WITHIN 3½ FEET OF THE GUTTER EDGE, REMOVE AND REPLACE ALL PAVEMENT BETWEEN THE EXCAVATION AND THE GUTTER.
5. IF THE EXISTING PAVEMENT SURFACE IS LESS THAN 10 YEARS OLD, SLURRY SEAL THE ENTIRE LANE IN WHICH THE UTILITY IS LOCATED AND ANY ADJACENT PARKING LANE, PLUS 10' AT EACH END OF THE EXCAVATIONS AS WELL. THE CITY MAY ACCEPT A FEE FROM THE CONTRACTOR IN LIEU OF THE SLURRY SEAL.

**TRENCH CUT: EXISTING ASPHALT CONCRETE STREET**

CITY OF WEST HOLLYWOOD  
DEPARTMENT OF PUBLIC WORKS  
ENGINEERING DIVISION

*Sharon Perlstein*  
SHARON PERLSTEIN P.E., CITY ENGINEER

DRAWN BY: DU  
DATE: 06-16-2010

**TC-1**